

R J Hill Laboratories Limited 28 Duke Street Frankton 3204 Private Bag 3205 Hamilton 3240 New Zealand ♦ 0508 HILL LAB (44 555 22)
 ♦ +64 7 858 2000
 ☑ mail@hill-labs.co.nz
 ⊕ www.hill-labs.co.nz

Certificate of Analysis

Page 1 of 1

HMASP-1v1

Client: Happy Beekeeping Limited

Contact: Dr Isaac Flitta

C/- Happy Beekeeping Limited

414 Kerikeri Road Kerikeri 0230 **Lab No:** 3522114

Date Received: 30-Mar-2024 Date Reported: 03-Apr-2024

97667

Quote No: Order No:

Client Reference:

Submitted By: Sara Samavati

Sample Type: Honey	/	
	Sample Name:	404241
	Lab Number:	3522114.1
Manuka Honey Analysis	•	
Dihydroxyacetone (DHA)	mg/kg	954
5-Hydroxymethylfurfural (HMF)	mg/kg	15.9
Methylglyoxal (MGO)	mg/kg	497
Non Peroxide Activity (NPA)*	% Phenol Equivalent	14.7

Manuka Honey Analysis Report: This report may represent a subset of the requested tests.

Summary of Methods

The following table(s) gives a brief description of the methods used to conduct the analyses for this job. The detection limits given below are those attainable in a relatively simple matrix. Detection limits may be higher for individual samples should insufficient sample be available, or if the matrix requires that dilutions be performed during analysis. A detection limit range indicates the lowest and highest detection limits in the associated suite of analytes. A full listing of compounds and detection limits are available from the laboratory upon request. Unless otherwise indicated, analyses were performed at Hill Labs, 28 Duke Street, Frankton, Hamilton 3204.

Sample Type: Honey				
Test	Method Description	Default Detection Limit	Sample No	
3-in-1 Honey method	Aqueous extraction, derivatisation. Analysis by uHPLC / UV-Vis (dihydroxyacetone, 5-hydroxymethylfurfural, methylglyoxal). Inhouse.	1.0 - 10 mg/kg	1	
Non Peroxide Activity (NPA)*	NPA is calculated from methylglyoxal using an industry accepted correlation curve based on published data ^{1,2} for NPA and the primary active ingredient, methylglyoxal. ¹ Isolation by HPLC and characterisation of the bioactive fraction of New Zealand manuka (Leptospermum scoparium) honey. C. J. Adams, et al. Carbohydrate Research 343 (2008) 651-659. ² Corrigendum to "Isolation by HPLC and characterization of the bioactive fraction of New Zealand manuka (Leptospermum scoparium) honey" [Carbohydr. Res. 343 (2008) 651]. C. J. Adams, et al. Carbohydrate Research 344 (2009) 2609.	1.0 % Phenol Equivalent	1	

These samples were collected by yourselves (or your agent) and analysed as received at the laboratory.

Testing was completed between 30-Mar-2024 and 03-Apr-2024. For completion dates of individual analyses please contact the laboratory.

Samples are held at the laboratory after reporting for a length of time based on the stability of the samples and analytes being tested (considering any preservation used), and the storage space available. Once the storage period is completed, the samples are discarded unless otherwise agreed with the customer. Extended storage times may incur additional charges.

This certificate of analysis must not be reproduced, except in full, without the written consent of the signatory.

Helen McGowan BSc (Tech)

Operations Support - Food & Bioanalytical





This Laboratory is accredited by International Accreditation New Zealand (IANZ), which represents New Zealand in the International Laboratory Accreditation Cooperation (ILAC). Through the ILAC Mutual Recognition Arrangement (ILAC-MRA) this accreditation is internationally recognised. The tests reported herein have been performed in accordance with the terms of accreditation, with the exception of tests marked * or any comments and interpretations, which are not accredited.